

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior listing of claims.

**RECEIVED
CENTRAL FAX CENTER**

JAN 17 2008

Claims 1 – 11 (Cancelled)

12. (Previously Presented) The method of Claim 38 wherein said application occurs after said second operating temperature is reached but before said third operating temperature is reached, said second operating temperature being less than about 50 °C and said third operating temperature being greater than or equal to about 30 °C.

Claim 13 (Cancelled)

14. (Previously Presented) The method of Claim 38 wherein said fabric treatment composition comprises a perfume that comprises at least about 30% by weight of a perfume material having a boiling point of less than or equal to 250 °C at 1 atmosphere.

15. (Currently Amended) The method of Claim ~~43~~ 38 wherein said fabric treatment composition comprises a treatment material comprising a material selected from the group consisting of protonatable amines, alkyl quaternary ammonium compounds, cationic silicones, and cationic polymers; nonionic surfactants produced by the condensation of alkylene oxide groups with an organic hydrophobic moiety, said moiety can be aliphatic or alkyl aromatic in nature; silicone copolymers; polymeric materials selected from the group consisting of polyacrylates, polyvinylalcohols, polyethyleneimines, polysaccharides, polyethyleneglycols, and derivatives or copolymers of polyacrylates, polyvinylalcohols, polyethyleneimines, polysaccharides, polyethyleneglycols; particulate materials selected from the group consisting of polymeric particles, clays, talcs, zeolites and mixtures thereof; synthetic or naturally-derived oils and mixtures thereof.

Claim 16 (Cancelled)

17. (Previously Presented) The method of Claim 38 wherein said fabric treatment composition comprises a material that has a flash point of 30 °C or higher.

18. (Original) The method of Claim 17 wherein said fabric treatment composition comprises a material that has a flash point of 30 °C to 400 °C.

Claims 19 – 31 (Cancelled)

32. (Original) The method of Claim 18 wherein said composition comprises a material that has a flash point of about 30 °C or higher.

Claims 33 – 37 (Cancelled)

38. (Currently Amended) A method of applying a fabric treatment composition to a fabric article, said method comprising:

a.) monitoring an operating temperature of a drying apparatus during a drying cycle of said drying apparatus; and

b.) providing a fabric treatment composition wherein said fabric treatment composition is electrically charged; and

~~b.)~~ c.) spraying a said electrically charged fabric treatment composition comprising a perfume and a treatment material onto a fabric article during said drying cycle of said drying apparatus, said spraying application occurring after said drying apparatus has reached a first control operating temperature equal to or higher than about 60°C and after said drying apparatus has reached a second operating temperature of less than about 60°C but before said drying apparatus has reached a third operating temperature of about 25°C.

39. (Currently Amended) A method of applying a fabric treatment composition to a fabric article, said method comprising:

a.) monitoring an operating temperature of a drying apparatus during a drying cycle of said drying apparatus; and

b.) providing a fabric treatment composition wherein said fabric treatment composition is electrically charged; and

~~b.)~~ c) spraying a said electrically charged fabric treatment composition comprising a perfume and a treatment material onto a fabric article during said drying cycle of said drying apparatus, said application occurring after said drying apparatus has reached a first control operating temperature of about 70°C or higher and then returned to a second operating temperature of less than about 70°C but before a third operating temperature of about 20°C is reached.